



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Statistical reports of States and cities of the United States, yearly and monthly.

CALIFORNIA—*San Francisco*.—Month of October, 1904. Estimated population, 475,000. Total number of deaths, 650, including diphtheria 9, enteric fever 9, scarlet fever 1, whooping cough 4, and 72 from tuberculosis.

CONNECTICUT—*Bridgeport*.—Month of October, 1904. Estimated population, 82,128. Total number of deaths, 100, including diphtheria 1, enteric fever 3, and 7 from tuberculosis.

GEORGIA—*Columbus*.—Month ended November 30, 1904. Estimated population, 19,303: White, 10,276; colored, 9,027. Total number of deaths, 23—white, 5; colored, 18—including enteric fever 1, and 4 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended November 26, 1904, from 75 observers indicate that enteric fever, smallpox, dysentery, and puerperal fever were more than usually prevalent; and diarrhea, inflammation of kidney, intermittent fever, remittent fever, erysipelas, measles, inflammation of brain, and cholera morbus were less than usually prevalent.

Meningitis was reported present at 1, whooping cough at 8, measles at 22, pneumonia at 34, diphtheria at 48, scarlet fever at 58, smallpox at 62, enteric fever at 75, and phthisis pulmonalis at 226 places.

NEBRASKA—*Omaha*.—Month of July, 1904. Estimated population, 110,000. Total number of deaths 103, including enteric fever 2, whooping cough 2, and 4 from tuberculosis.

Month of August, 1904. Total number of deaths 110, including enteric fever 2, and 16 from tuberculosis.

NEW JERSEY—*Paterson*.—Month of October, 1904. Estimated population, 116,369. Total number of deaths 140, including diphtheria 8, and 14 from tuberculosis.

UTAH.—Report of contagious and infectious diseases to the State board of health for the month of October received from 109 health officers in 25 counties, 40 of whom reported their communities free from all contagious and infectious diseases and 12 free from all but typhoid fever.

Scarlet fever was reported present in 7 localities—12 cases, no deaths; smallpox, in 7 localities—103 cases, no deaths; diphtheria, 16 localities—68 cases, 8 deaths; typhoid fever, 52 localities—288 cases,^a 18 deaths; whooping cough, 14 localities—87 cases,^a 2 deaths; measles, 1 locality—3 cases,^a no deaths; pneumonia, 21 localities—45 cases,^a 10 deaths; tuberculosis, 5 localities—12 cases,^a 8 deaths; total, 618 cases, 46 deaths.

^a Report of cases incomplete.

Incomplete reports of mortality from 9 counties show a total of 181 deaths from all causes.

Typhoid fever continues to prevail extensively.

A greatly increased prevalence of smallpox is noted.

VIRGINIA—*Newport News*.—Month of October, 1904. Estimated population, 25,000. Total number of deaths 36, including enteric fever 3, scarlet fever 1, and 3 from tuberculosis.

Month of November, 1904. Total number of deaths 36, including enteric fever 2, and 5 from tuberculosis.

WISCONSIN—*Milwaukee*.—Month of October, 1904. Estimated population, 325,000. Total number of deaths 322, including diphtheria 3, enteric fever 3, scarlet fever 3, and 33 from tuberculosis.

ARRIVAL OF IMMIGRANTS.

Report of immigration at Baltimore.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Baltimore, Md., December —, 1904.

Number of alien immigrants who arrived at this port during the week ended December 3, 1904; also names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of aliens.
Nov. 27 29	Brookline	Port Antonio	1
	Joseph Di Giorgio	do	1
	Total		2

BERTRAM N. STUMP,
Acting Commissioner.

Report of immigration at Boston.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Boston, Mass., November 27, 1904.

Arrival of alien steerage passengers at this port during the week ended Saturday, November 26, 1904; also the names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of immigrants.
Nov. 21 22 23 23	Admiral Farragut	Port Morant, Jamaica	6
	Winifredian	Liverpool, England	2
	Kingstonian	Antwerp, Belgium	2
	Ivernla	Liverpool, England	2,079
	Total		2,089

GEORGE B. BILLINGS, *Commissioner.*